



## The Cambridge Collection



**LIMITED HIGH WIND  
WARRANTY UPGRADE**



**Cambridge Collection 130 mph (210 km/h)<sup>1,2</sup>**

<sup>1</sup>See Limited Warranty at [www.iko.com](http://www.iko.com) for complete terms, conditions, restrictions, and application requirements.

<sup>2</sup>High Wind Application is required.

Color featured is Cambridge Driftwood





# Cambridge

## LIMITED LIFETIME<sup>1</sup> ARCHITECTURAL SHINGLES

Do you appreciate beautiful options? Then look no further than the Cambridge Collection, IKO's most popular shingle among contractors and discerning homeowners alike. Cambridge shingles add architectural interest that boosts your home's curb appeal. With their dimensional profile and deep shadow bands which mimic the look of wood shake construction, they can create a high-end designer look for your home, all at an affordable cost.

Choose from a huge array of colors to coordinate perfectly with your home's style; whether rustic or urban, traditional or modern. Even if you live in a maritime climate or area of high humidity, you can enjoy having a gorgeously colored roof free from streaks and discoloration.

Cambridge premium architectural laminated shingles come in IKO's special Advantage size. They're bigger and heavier than most competitors' products of comparable quality. Constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years, making them among the most durable shingles you can buy.

*When you choose Cambridge, your new roof will keep on looking as great as it performs.*

- Built-in algae-resistant granules
- 15-Year IKO Iron Clad Protection<sup>1</sup>
- Limited Lifetime Warranty<sup>1</sup>
- Includes up to 110 mph (177 km/h) Limited Wind Warranty<sup>1</sup>
- Optional Limited High Wind Warranty Upgrade of 130 mph (210 km/h) available<sup>1,2</sup>
- Miami-Dade Approved\*

Note: \*Products with Miami Dade NOA, Florida Product Approval, ICC, and Texas Department of Insurance listings are available. Please contact IKO for details.

This article contains a preservative to inhibit discoloration by algae.

<sup>1</sup> See Limited Warranty at [www.iko.com](http://www.iko.com) for complete terms, conditions, restrictions, and application requirements.

<sup>2</sup> High Wind Application is required.




Color featured is Dual Black








# Cambridge Color Blends




Dual Black




Charcoal Grey




Harvard Slate




Dual Grey



Dual Brown



Weatherwood



Driftwood

**Product and color availability may vary by region, please refer to chart.**

**\*\*Blue granules may fade after extensive exposure to the sun's ultraviolet rays. ◇ Limited Availability in USA and Canada.**





Aged Redwood



Earthtone Cedar




Riviera Red



Vintage Green

These Cambridge color blends are only available in select shipping areas.



National Blue\*\* ◇



Super White ◇ Cambridge Super White is CRRC® listed and ENERGY STAR® qualified.



Beachwood ◇



Patriot Slate ◇





# Cambridge IR

## *Impact-Resistant*

### LIMITED LIFETIME<sup>1</sup> ARCHITECTURAL SHINGLES

Conventional shingles perform well against wind, rain and average temperatures. But, if you live where conditions such as extreme cold, hail, high winds and severe storms prevail, you and your home may need the ultimate weather protection of Cambridge IR shingles.

IKO takes its resilient, heavyweight fiberglass mat and reinforces it with an extra coating of IKO-SBS-modified asphalt. This gives Cambridge IR exceptional flexibility, tear-resistance and a FM 4473 Class 4 Impact Resistance rating.

What does that mean? In independent laboratory tests, a 2" steel ball is dropped from a height of 20' on shingles, or ice balls are fired at high-velocity towards shingles to make sure they resist the impact without damage, and our shingles have passed these tests. Discuss this with your insurance agent because depending on where you live, a roof of Class 4 Impact Resistance rated shingles may entitle you to a discount on your premium.

Cambridge IR is available in IKO's Advantage size so it's fast and easy for your roofer to install. Deep shadow bands evoke the look of natural wood shakes. Available in 5 popular color choices, Cambridge IR shingles are perfect for any style of home.


*For superior weather and impact resistance, insist on Cambridge IR.*

- Built-in algae-resistant granules
- Superior protection against wind uplift and water penetration
- FM 4473 Class 4 Impact Resistance rating<sup>3</sup> against hail
- 15-Year IKO Iron Clad Protection<sup>1</sup>
- Limited Lifetime Warranty<sup>1</sup>
- Includes up to 110 mph (177 km/h) Limited Wind Warranty<sup>1</sup>
- Optional Limited High Wind Warranty Upgrade of 130 mph (210 km/h) available<sup>1,2</sup>

Color featured is Charcoal Grey




## Cambridge Impact-Resistant Color Blends




Dual Black




Charcoal Grey



Dual Grey



Weatherwood



Driftwood



Product and color availability may vary by region, please refer to chart.

Note: This article contains a preservative to inhibit discoloration by algae.

<sup>1</sup>See Limited Warranty at [www.iko.com](http://www.iko.com) for complete terms, conditions, restrictions, and application requirements. <sup>2</sup>High Wind Application is required. <sup>3</sup>This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of expressed or implied warranty by the manufacturer, supplier or installer. For further detail concerning the FM 4473 standards, see [[https://www.iko.com/na/publication/specification-test-standard-impact-resistance/wppa\\_open](https://www.iko.com/na/publication/specification-test-standard-impact-resistance/wppa_open)] (current as of 6/22/16).



## Design your own roof with **ROOFViewer™**

Start by visiting our website at [www.iko.com](http://www.iko.com) and try our exclusive **RoofViewer™ Interactive Shingle Selector Tool**. You can select a style of home and accessorize it with different colors of roof and trim or even upload a picture of your actual house!

Once you've narrowed down your choices, ask your roofing professional or IKO Sales Representative for actual samples of the shingles you're considering. Printing processes are close, but nothing compares to the real thing and colors on the computer are even more prone to variation.

Treat the shingle samples as you would paint chips and view them in different lighting conditions at different times of day. If you're going to select new trim or siding, take samples of those outdoors, too, and see how all the elements work together.

Choosing the right color is the most difficult decision for most homeowners. A new roof is a significant investment and you'll have to live with your color choice for a very long time. IKO offers you many beautiful color palettes, so take your time to find the one that's right for you and your home. You'll enjoy the results for years to come.



## THE CAMBRIDGE COLLECTION

### THE IKO ADVANTAGE

|                                                   |                    |
|---------------------------------------------------|--------------------|
| Limited Warranty <sup>1</sup>                     | Limited Lifetime   |
| Iron Clad Protection <sup>1</sup>                 | 15 Years           |
| Limited Wind Warranty <sup>1</sup>                | 110 mph (177 km/h) |
| Limited High Wind Warranty Upgrade <sup>1,2</sup> | 130 mph (210 km/h) |
| Algae Resistant                                   | Yes                |

### PRODUCT SPECIFICATIONS

|                     |                                            |
|---------------------|--------------------------------------------|
| Length              | 40 7/8 in (1038 mm)                        |
| Width               | 13 3/4 in (349 mm)                         |
| Exposure            | 5 7/8 in (149 mm)                          |
| Coverage Per Bundle | 33.3 ft <sup>2</sup> (3.1 m <sup>2</sup> ) |

### STANDARDS<sup>†</sup>

|                     |                                |
|---------------------|--------------------------------|
| ASTM D3462          | ASTM D7158 - Class H           |
| ASTM D3018          | CSA A123.5                     |
| ASTM D3161- Class F | FM 4473 - Class 4 <sup>3</sup> |
| ASTM E108 - Class A |                                |

|                                                                                  | Eastern Canada<br>Eastern U.S.A. |                 | Western U.S.A. |                 | Western Canada |                 |
|----------------------------------------------------------------------------------|----------------------------------|-----------------|----------------|-----------------|----------------|-----------------|
| Colors                                                                           | Cambridge                        | IR <sup>3</sup> | Cambridge      | IR <sup>3</sup> | Cambridge      | IR <sup>3</sup> |
| Dual Black                                                                       | ✓                                | ✓               | ✓              | ✓               | ✓              | ✓               |
| Charcoal Grey                                                                    | ✓                                | ✓               | ✓              | ✓               | ✓              | ✓               |
| Harvard Slate                                                                    | ✓                                |                 | ✓              |                 | ✓              |                 |
| Dual Grey                                                                        | ✓                                | ✓               | ✓              | ✓               | ✓              | ✓               |
| Dual Brown                                                                       | ✓                                |                 | ✓              |                 | ✓              |                 |
| Weatherwood                                                                      | ✓                                | ✓               | ✓              | ✓               | ✓              | ✓               |
| Driftwood                                                                        | ✓                                | ✓               | ✓              | ✓               | ✓              | ✓               |
| Aged Redwood                                                                     | ✓                                |                 | ✓              |                 | ✓              |                 |
| Earthtone Cedar                                                                  | ✓                                |                 | ✓              |                 | ✓              |                 |
| Riviera Red                                                                      | ✓                                |                 | ✓              |                 | ✓              |                 |
| Vintage Green                                                                    | ✓                                |                 | ✓              |                 | ✓              |                 |
| <b>These Cambridge color blends are only available in select shipping areas:</b> |                                  |                 |                |                 |                |                 |
| National Blue** ◇                                                                | ✓                                |                 |                |                 |                |                 |
| Super White†† ◇                                                                  | ✓                                |                 | ✓              |                 |                |                 |
| Beachwood ◇                                                                      | ✓                                |                 |                |                 |                |                 |
| Patriot Slate ◇                                                                  | ✓                                |                 |                |                 |                |                 |

Note: All values shown are approximate. \*Products with Miami Dade NOA, Florida Product Approval, ICC, and Texas Department of Insurance listings are available. Please contact IKO for details.† Product is designed and tested to comply with ASTM/CSA standards at time of manufacture. \*\*Blue granules may fade after extensive exposure to the sun's ultraviolet rays. ◇ Limited Availability in USA and Canada.

This article contains a preservative to inhibit discoloration by algae.

<sup>1</sup>See Limited Warranty at [www.iko.com](http://www.iko.com) for complete terms, conditions, restrictions, and application requirements.

<sup>2</sup>High Wind Application is required.

<sup>3</sup>This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of expressed or implied warranty by the manufacturer, supplier or installer. For further detail concerning the FM 4473 standards, see [\[https://www.iko.com/na/publication/specification-test-standard-impact-resistance/wppa\\_open\]](https://www.iko.com/na/publication/specification-test-standard-impact-resistance/wppa_open) (current as of 6/22/16).

**Product and color availability may vary by region.**

## PRO4

ROOFING COMPONENTS

Shingles alone are usually not enough to protect your home. IKO has developed a superior multi-layered roofing components incorporating our industry-leading products.



### 1. Eave Protection - GoldShield, ArmourGard, or StormShield Ice & Water Protectors

IKO's Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers, vent stacks, and skylights.

### 2. Underlayment - RoofGard-Cool Grey or Stormtite® Underlayment

Use our innovative RoofGard-Cool Grey or Stormtite® synthetic underlayment for total deck protection.

### 3. Roof Starters - Leading Edge Plus Starter Strips

Fast, easy and convenient. IKO's Starter Strips are already cut to size saving valuable time during the installation of the first course of shingles. Compatible with all existing IKO Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.

### 4. Ridge Cap Shingles - Hip and Ridge, Hip & Ridge Plus, Hip & Ridge 12 or Ultra HP™ High Profile Ridge Cap Shingles

Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing your home's aesthetic appeal by accentuating the roof line.



<sup>††</sup>Cambridge Super White is CRRC® listed and ENERGY STAR® qualified in the US.

Shingle Swatches and House Photography shown are as accurate as modern printing processes allow. Shingle swatches shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction, please make your final color selection from several full size shingles and view a sample of the product installed on a home. Be sure to look at the color sample of all material in natural sunlight, at different times of day to ensure that your color choices are complementary.

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

Find out more about our products now by talking to an IKO Sales Representative, your Professional Roofing Contractor or contact us directly at: United States 1-888-IKO-ROOF (1-888-456-7663), Canada 1-855-IKO-ROOF (1-855-456-7663) or visit our website at: [www.iko.com](http://www.iko.com).

© Copyright 07/16 - MR9L100

